




Products Catalogue
2023-24



We enlight your dreams ●
ULTRATHIN MAGNET
LIGHT SYSTEM




www.akshled.com

Brief Introduction

- Thickness: 5mm, apply a magnet system without suspended ceiling;
- Can be cut at any length, satisfy variety design;
- Easy installation, bracket and body lock model;
- PC body with smoothly move, good insulation;

① fix the bracket with screws on ceiling ② Push and fix the body on the bracket ③ Insure the body is fixed properly





ULTRATHIN MAGNETIC TRACK

- Item No. : AK30
- Color: Black
- Input Voltage: DC48V
- Material: PC &Iron &Copper
- Dimension: 30*5mm


- Length:

- ① 1000mm
- ② 2000mm
- ③ 3000mm





Straight Connect Module

- Model No.: AKStraight Connect Module
- Color: Black
- Material: PVC&COPPER
- Dimension: 30*30*5mm




● Insert the copper pin of the module in the track under the copper bar










Cross Connect Module

- Model No.: AK Cross Connect Module
- Color: Black
- Material: PC&COPPER
- Dimension: 30*30*5mm




- Insert the copper pin of the module in the track under the copper bar



In&Out Connect Module

- Model No.: AK Cross Connect Module
- Color: Black
- Material: PC&COPPER
- Dimension: 30*25*25mm




Power Supply 200W&100W

Easy replace


- Model No.: AK30-SP200W AK30-SP100W
- Color: Black
- Input Voltage: 190-245Vac
- Output Voltage: DC48V
- Output Current: 2.1A 4.2A
- Dimension: 32*31*352mm 32*31*282mm



CEILING



LIGHT MODULES





⋮

Diffused Model

Basic light

- Model No. : AK30-DF300
- Color: Black
- Input Voltage: DC48V
- Wattage: 12W
- Beam Angle: 105°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 300*32*11mm



Grille Model

Anti-glare Focus light

- Model No. : AK30-LB24
- Color: Black
- Input Voltage: 48V
- Wattage: 10W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 240*20*11mm



Round Downlight

Anti-glare Focus light

- Model No.: AK30-DR54
- Color: Black
- Input Voltage: 48V
- Wattage: 8W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: $\varnothing$ 54*75mm



Square Downlight

Anti-glare Focus light


- Model No : AK30-DS54
- Color: Black
- Input Voltage: 48V
- Wattage: 12W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 55*55*75mm



Folded Grille light

Anti-glare Focus light

- Model No.: AK30-FD5
- Color: Black
- Input Voltage: 48V
- Wattage: 10W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 140*30*105mm



Track light

Anti-glare Focus light

- Model No.: AK30-TL7
- Color: Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: $\varnothing$ 36*90*145mm



Rotatable Round Spotlight

Anti-glare Focus light

- Model No.: AK30-DR54R
- Color: Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: $\varnothing$ 54*63*98mm



Elfin Spotlight

Anti-glare Focus light


- Model No.: AK30-SP1
- Color: Black
- Input Voltage: 48V
- Wattage: 5W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 48*35*60mm



Elfin Arc light

Decorated light

- Model No.: AK30-SA1
- Color: Black
- Input Voltage: 48V
- Wattage: 4W
- Beam Angle: 160°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 48*35*60mm



FLEXIBLE TUBE MODULE

- Model No.: AK30-FT500 : AK30-FT1000 : AK30-FT1500
- Color: Black
- Input Voltage: 48V
- Wattage: ❶ 8W ❷ 16W ❸ 24W
- Beam Angle: 360°
- CCT: 3000K 4000K 6000K
- Ra: >80
- Dimension: ❶ $\varnothing$ 22*500mm
❷ $\varnothing$ 22*1000mm
❸ $\varnothing$ 22*1500mm



HANGING LIGHT MODULE

- Model No. : AK30-HS7W
- Color: Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 160°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: $\varnothing$ 62*90mm




HANGING LIGHT MODULE

- Model No. : AK30-HC7W
- Color: Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 160°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: $\varnothing$ 72*110mm




Estimate



AKSH LIGHTS

I N D I A


Estimate



AKSH LIGHTS

I N D I A

Estimate



AKSH LIGHTS

I N D I A



AKSH LIGHTS INDIA

VPO Kachwa, Near Swiss Biotech
KARNAL-132001 (HARYANA) INDIA



CUSTOMER CARE NO: +91-805 30000 33



info@akshled.com
akshlights033@gmail.com



www.akshled.com



+91-805 34000 33
+91-895 05050 00
+91-935 01667 30



Affordable Lighting
from the reputed
name in LED



Smart and
energy efficient



Quality you can trust
You get exactly you
see on the box



Using
BIS Approved
Control Gear



IS 10322
(PART 5/SEC 1): 2012



R-41081019
www.bis.gov.in

